












## Ceiling Speaker

Ceiling Speaker ( 1 / 4 )				
No.	Product	Mode	Ref Pic	Specification
1	Economy Ceiling Speaker	CS-104		Economic ceiling speaker, power 6W, 4" full range speaker, input voltage 100V, sensitivity 86dB, metal material, frequency response 85-18KHz, size $\varnothing$ 180x60mm, cutout size 150mm
2	Economy Ceiling Speaker	CS-105		Economic ceiling speaker, power 6W, 5" full range speaker, input voltage 100V, sensitivity 87dB, metal material, frequency response 80-19KHz, size $\varnothing$ 200x60mm, cutout size 166mm
3	Economy Ceiling Speaker	CS-106		Economic ceiling speaker, power 8W, 6.5" full range speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 80-19KHz, size $\varnothing$ 245x70mm, cutout size 220mm
4	Economy Ceiling Speaker	CS-114		Economic ceiling speaker, power 6W, 2-way coaxial 4" speaker, input voltage 100V, sensitivity 87dB, metal material, frequency response 80-18KHz, size $\varnothing$ 180x60mm, cutout size 150mm
5	Economy Ceiling Speaker	CS-115		Economic ceiling speaker, power 6W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 78-20KHz, size $\varnothing$ 200x60mm, cutout size 166mm
6	Economy Ceiling Speaker	CS-116		Economic ceiling speaker, power 8W, 2-way coaxial 6.5" speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 80-19KHz, size $\varnothing$ 245x70mm, cutout size 220mm
7	Economy Ceiling Speaker	CS-104D		Economic ceiling speaker, power 6W, 4" full range speaker, input voltage 100V, sensitivity 86dB, metal material, frequency response 85-18KHz, size $\varnothing$ 180x110mm, cutout size 154mm
8	Economy Ceiling Speaker	CS-105D		Economic ceiling speaker, power 6W, 5" full range speaker, input voltage 100V, sensitivity 87dB, metal material, frequency response 80-19KHz, size $\varnothing$ 200x108mm, cutout size 168mm
9	Economy Ceiling Speaker	CS-106D		Economic ceiling speaker, power 8W, 6.5" full range speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 80-19KHz, size $\varnothing$ 245x116mm, cutout size 224mm
10	Mini Ceiling Speaker	CS-28		Ceiling speaker, power 6W, full range 2.5" speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 120-20KHz, size $\varnothing$ 101x60mm, cutout size 90mm
11	Mini Ceiling Speaker	CS-30		Ceiling speaker, power 6W, full range 2.5" speaker, input voltage 100V, sensitivity 88dB, metal material, frequency response 120-20KHz, size $\varnothing$ 103x80mm, cutout size 95mm
12	Commercial Ceiling Speaker	CS-200		Ceiling speaker, power 15-20W, 2.5" speaker, input voltage 70V/100V/8 $\Omega$ , sensitivity 95dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 240x160mm, cutout size 205mm
13	Commercial Ceiling Speaker	CS-300		Ceiling speaker, power 20-40W, 2.5" speaker x 3, input voltage 70V/100V, sensitivity 95dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 260 x 172mm, cutout size 232mm

### Ceiling Speaker

Ceiling Speaker ( 2 / 4 )				
No.	Product	Mode	Ref Pic	Specification
14	2 Way Coaxial Ceiling Speaker	CS-252		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 100-20KHz, size $\varnothing$ 203x80mm, cutout size 170mm
15	2 Way Coaxial Ceiling Speaker	CS-263		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 230x90mm, cutout size 200mm
16	2 Way Coaxial Ceiling Speaker	CS-284		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size $\varnothing$ 270x105mm, cutout size 240mm
17	2 Way Coaxial Ceiling Speaker (with back enclosure)	CS-252H		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 100-20KHz, size $\varnothing$ 213x130mm, cutout size 170mm
18	2 Way Coaxial Ceiling Speaker (with back enclosure)	CS-263H		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 240x155mm, cutout size 200mm
19	2 Way Coaxial Ceiling Speaker (with back enclosure)	CS-284H		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size $\varnothing$ 280x190mm, cutout size 240mm
20	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-252D		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, metal cover, frequency response 90-20KHz, size $\varnothing$ 203x145mm, cutout size 170mm
21	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-263D		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 89dB, metal cover, frequency response 85-20KHz, size $\varnothing$ 230x150mm, cutout size 200mm
22	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-284D		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V, sensitivity 90dB, metal cover, frequency response 80-20KHz, size $\varnothing$ 270x185mm, cutout size 240mm
23	2 Way Coaxial Frameless Ceiling Speaker	CS-242Z		Ceiling speaker, power 20W, 2-way coaxial 4" speaker, input voltage 100V, sensitivity 88dB, frequency response 100-20KHz, size $\varnothing$ 180x80mm, cutout size 160mm
24	2 Way Coaxial Frameless Ceiling Speaker	CS-253Z		Ceiling speaker, power 30W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 89dB, frequency response 95-20KHz, size $\varnothing$ 203x85mm, cutout size 180mm
25	2 Way Coaxial Frameless Ceiling Speaker	CS-264Z		Ceiling speaker, power 40W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 90dB, frequency response 90-20KHz, size $\varnothing$ 232x90mm, cutout size 200mm

## Ceiling Speaker

Ceiling Speaker ( 3 / 4 )				
No.	Product	Mode	Ref Pic	Specification
26	Marine Ceiling Speaker	CS-241M		Waterproof ceiling speaker, power 18W, coaxial 4" speaker, 8 ohm, sensitivity 88dB, plastic material, frequency response 150-20KHz, size $\varnothing$ 141x70mm, cutout size 105mm
27	Marine Ceiling Speaker	CS-252M		Waterproof ceiling speaker, power 20W, 5" speaker, 8 ohm, sensitivity 89dB, plastic material, frequency response 110-18KHz, size $\varnothing$ 165x75mm, cutout size 122mm
28	Marine Ceiling Speaker	CS-263M		Waterproof ceiling speaker, power 25W, 6" speaker, 4 ohm, sensitivity 90dB, plastic material, frequency response 100-18KHz, size $\varnothing$ 190x90mm, cutout size 147mm
29	Ceiling Speaker	CS-356		Ceiling speaker, power 6W, full range 5.25" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 100-20KHz, size $\varnothing$ 203x70mm, cutout size 170mm
30	Ceiling Speaker	CS-368		Ceiling speaker, power 8W, full range 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 230x80mm, cutout size 200mm
31	Ceiling Speaker	CS-381		Ceiling speaker, power 10W, full range 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size $\varnothing$ 270x90mm, cutout size 240mm
32	2 Way Coaxial Ceiling Speaker	CS-452		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 100-20KHz, size $\varnothing$ 203x80mm, cutout size 170mm
33	2 Way Coaxial Ceiling Speaker	CS-463		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size $\varnothing$ 230x90mm, cutout size 200mm
34	2 Way Coaxial Ceiling Speaker	CS-484		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size $\varnothing$ 270x105mm, cutout size 240mm
35	2 Way Coaxial Ceiling Speaker	CS-452D		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V & 8 ohm switchable, sensitivity 88dB, metal cover, frequency response 90-20KHz, size $\varnothing$ 203x150mm, cutout size 170mm
36	2 Way Coaxial Ceiling Speaker	CS-463D		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V & 8 ohm switchable, sensitivity 89dB, metal cover, frequency response 85-20KHz, size $\varnothing$ 230x155mm, cutout size 200mm
37	2 Way Coaxial Ceiling Speaker	CS-484D		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V & 8 ohm switchable, sensitivity 90dB, metal cover, frequency response 80-20KHz, size $\varnothing$ 270x190mm, cutout size 240mm

### Ceiling Speaker

Ceiling Speaker ( 4 / 4 )				
No.	Product	Mode	Ref Pic	Specification
38	2 Way Coaxial Ceiling Speaker (Square Shape)	CS-552		Ceiling speaker, power 20W, 2-way coaxial 5" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 95-20KHz, size 190x190x80mm, cutout size 148x148mm
39	2 Way Coaxial Ceiling Speaker (Square Shape)	CS-563		Ceiling speaker, power 30W, 2-way coaxial 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size 220x220x95mm, cutout size 190x190mm
40	2 Way Coaxial Ceiling Speaker (Square Shape)	CS-584		Ceiling speaker, power 40W, 2-way coaxial 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size 255x255x100mm, cutout size 225x225mm
41	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-552D		Ceiling speaker, power 20W, coaxial 5" speaker, input voltage 100V, sensitivity 88dB, plastic material, frequency response 95-20KHz, size 190x190x145mm, cutout size 148x148mm
42	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-563D		Ceiling speaker, power 30W, coaxial 6" speaker, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size 220x220x160mm, cutout size 190x190mm
43	2 Way Coaxial Ceiling Speaker (with metal back enclosure)	CS-584D		Ceiling speaker, power 40W, coaxial 8" speaker, input voltage 100V, sensitivity 90dB, plastic material, frequency response 85-20KHz, size 255x255x180mm, cutout size 225x225mm
44	2 Way Ceiling Speaker (Rectangular Shape)	CS-641		Ceiling speaker, power 10W, 2-way 4"woofer and 1" tweeter, input voltage 100V, sensitivity 87dB, plastic material, frequency response 110-20KHz, size 222x148x68mm, cutout size 90x115mm
45	2 Way Ceiling Speaker (Rectangular Shape)	CS-652		Ceiling speaker, power 20W, 2-way 5"woofer and 1" tweeter, input voltage 100V, sensitivity 88dB, plastic material, frequency response 100-20KHz, size 280x192x75mm, cutout size 245x160mm
46	2 Way Ceiling Speaker (Rectangular Shape)	CS-663		Ceiling speaker, power 30W, 2-way 6"woofer and 1" tweeter, input voltage 100V, sensitivity 89dB, plastic material, frequency response 90-20KHz, size 310x223x85mm, cutout size 275x185mm
47	2 Way Ceiling Speaker (Rectangular Shape)	CS-684		Ceiling speaker, power 40W, 2-way 8"woofer and 1" tweeter, input voltage 100V, sensitivity 90dB, plastic material, frequency response 80-20KHz, size 360x256x100mm, cutout size 325x220mm
48	Fireproof Ceiling Speaker	CS-EN545		Ceiling speaker, power 6W, 5" speaker, input voltage 100V, sensitivity 92dB, frequency response 135-16KHz, size $\varnothing$ 180x132mm, cutout size 158mm
49	Fireproof Ceiling Speaker	CS-EN546		Ceiling speaker, power 6W, 6" speaker, input voltage 100V, sensitivity 92dB, frequency response 125-18KHz, size $\varnothing$ 230x132mm, cutout size 202mm
50	Fireproof Ceiling Speaker	CS-EN548		Ceiling speaker, power 6W, 8" speaker, input voltage 100V, sensitivity 92dB, frequency response 115-19KHz, size $\varnothing$ 270x132mm, cutout size 228mm