














## Wall Mount Speaker

Wall Mounting Speaker ( 1 / 4 )				
No.	Product	Mode	Ref Pic	Specification
1	2-way Small Wall Mounting Speaker	BS-10		2-way speaker, power 6W-10W, 100V and 8Ω switchable, power tab 1/2, 1/4, Sensitivity 90±3dB, frequency response:145~20KHz, black & white colour option, angle adjustable, 95x100x141mm
2	Sound Reflex Wall Mount Speaker	BS-15		2.5 inch speaker, power 15W-30W, 100V input, Sensitivity 84±3dB, frequency response:150~20KHz, black & white colour option, angle adjustable, 80x142x190mm
3	Outdoor Waterproof Wall Mount Speaker	BS-36		Aluminium frame, waterproof design, 5 inch speaker, power 30W-60W, 100V input, Sensitivity 90±3dB, frequency response:120~18KHz, angle adjustable, 140x140x140mm
4	2-way Coaxial Wall Mounting Speaker	BS-120		2-way full range speaker, power 30W-60W, 100V input, power tab 1/2, 1/4, Sensitivity 86±3dB, frequency response:90-20KHz, black & white colour option, 360° adjustable, 128x128x131mm
5	2-way Wall Mounting Speaker	BS-131		2-way speaker, 4" woofer + 1" tweeter, RMS power 10W, Max 20W, 100V, Sensitivity 88±3dB, frequency response:100-18KHz, black & white colour option, 360° adjustable,152x136x227mm
6	2-way Wall Mounting Speaker	BS-132		2-way speaker, 5" woofer + 1" tweeter, RMS power 20W, Max 30W, 100V, Sensitivity 89±3dB, frequency response:90-20KHz, black & white colour option, 360° adjustable,180x148x263mm
7	2-way Wall Mounting Speaker	BS-1420		4" Woofer + 1" tweeter 2-way speaker, power 20W @ 8Ω, Sensitivity 89±3dB, frequency response: 100-20KHz, black & white for colour option, Size: 215 x 170 x 150 mm
8	2-way Wall Mounting Speaker	BS-1530		5" Woofer + 1" tweeter 2-way speaker, power 30W @ 8Ω, Sensitivity 89±3dB, frequency response: 100-20KHz, black & white for colour option, ABS material, Size: 242 x 182 x 162 mm
9	2-way Wall Mounting Speaker	BS-1640		6" Woofer + 1" tweeter 2-way speaker, power 40W @ 8Ω, Sensitivity 88±3dB, frequency response: 70-20KHz, black & white for colour option, ABS material, Size: 284 x 215 x 190 mm
10	2-way Wall Mounting Speaker	BS-2420		4" Woofer + 1" tweeter 2-way speaker, power 20W @ 8Ω, Sensitivity 87±3dB, frequency response: 90-20KHz, black & white for colour option, plastic material, Size: 220 x 150 x 135 mm
11	2-way Wall Mounting Speaker	BS-2530		5" Woofer + 1" tweeter 2-way speaker, power 30W @ 8Ω, Sensitivity 88±3dB, frequency response: 90-20KHz, black & white for colour option, plastic material, Size: 255 x 178 x 155 mm
12	2-way Wall Mounting Speaker	BS-2640		6" Woofer + 1" tweeter 2-way speaker, power 40W @ 8Ω, Sensitivity 87±3dB, frequency response: 80-20KHz, black & white for colour option, plastic material, Size: 310 x 213 x 195 mm
13	2-way Wall Mounting Speaker	BS-2860		8" Woofer + 1" tweeter 2-way speaker, power 60W @ 8Ω, Sensitivity 88±3dB, frequency response: 30-20KHz, black & white for colour option, ABS material, Size: 417 x 289 x 255 mm

## Wall Mount Speaker

Wall Mounting Speaker ( 2 / 4 )				
No.	Product	Mode	Ref Pic	Specification
14	2-way Wall Mounting Speaker	BS-3430		4" Woofer + 1" tweeter speaker, power 30W, 100V and 8Ω switchable, power tab 30W/15W/7.5W, Sensitivity 87±3dB, frequency response:70-20KHz, black & white colour option, Size:241x144x157mm
15	2-way Wall Mounting Speaker	BS-3540		5" Woofer + 1" tweeter speaker, power 40W, 100V and 8Ω switchable, power tab 40W/20W/10W, Sensitivity 88±3dB, frequency response:70-20KHz, black & white colour option,Size:273 x164x170mm
16	2-way Wall Mounting Speaker	BS-3650		6" Woofer + 1" tweeter speaker, power 50W, 100V and 8Ω switchable, power tab 50W/25W/12.5W, Sensitivity 88±3dB, frequency response:65-20KHz, black & white colour option,Size:335 x184x187mm
17	2-way Wall Mounting Speaker	BS-4420		4" Woofer + 1" tweeter 2-way speaker, power 20W @ 8Ω, Sensitivity 87±3dB, frequency response: 90-20KHz, black & white for colour option, Size: 220 x 150 x 135 mm
18	2-way Wall Mounting Speaker	BS-4530		5" Woofer + 1" tweeter 2-way speaker, power 30W @ 8Ω, Sensitivity 88±3dB, frequency response: 85-20KHz, black & white for colour option, ABS material, Size: 255 x 178 x 155 mm
19	2-way Wall Mounting Speaker	BS-4640		6" Woofer + 1" tweeter 2-way speaker, power 40W @ 8Ω, Sensitivity 88±3dB, frequency response: 80-20KHz, black & white for colour option, ABS material, Size: 310 x 213 x 195 mm
20	2-way Wall Mounting Active Speaker (Built-in Amp)	BS-1500A		2-way speaker, 5" woofer + 1" tweeter, Built-in amplifier RMS power 25W, Max 40W, 8Ω, treble, bass adjustable, Sensitivity 95±3dB, frequency response:70-18KHz, current protection, AUX input, black & white colour option, Size:185x170x250mm
21	2-way Wall Mounting Active Speaker (Built-in Amp)	BS-1600A		2-way speaker, 6" woofer + 1" tweeter, Built-in amplifier RMS power 35W, Max 50W, 8Ω, treble, bass adjustable, Sensitivity 96±3dB, frequency response:70-18KHz, current protection, AUX input, black & white colour option, Size:215x200x295mm
22	2-way Wall Mounting Speaker	BS-5530		5" Woofer + 1/2" tweeter 2-way speaker, power 30W @ 8Ω, Sensitivity 85±3dB, frequency response: 95-18KHz, black & white for colour option, Size: 155 x 150 x 245 mm
23	2-way Wall Mounting Speaker	BS-5640		6-1/2" Woofer + 1" tweeter 2-way speaker, power 40W @ 8Ω, Sensitivity 86±3dB, frequency response: 80-19KHz, black & white for colour option, Size: 208 x 198 x 345 mm
24	3-way Wall Mounting Speaker	BS-240		Dual 4" Woofer + 1" tweeter 2-way speaker, power 40W @ 100V, Sensitivity 86±3dB, frequency response: 100-18KHz, white colour, Size: 340 x 147 x 135 mm
25	3-way Wall Mounting Speaker	BS-243		Dual 4" Woofer + 4/5" tweeter speaker, power 30W @ 8Ω, Sensitivity 85±3dB, frequency response: 80-20KHz, black & white for colour option, Size: 310 x 180 x 145 mm
26	2-way Wall Mounting Speaker	BS-420		4-1/2" Woofer + 1/2" tweeter 2-way speaker, power 20W @ 8Ω, Sensitivity 83±3dB, frequency response: 90-18KHz, black & white for colour option, Size: 139 x 120 x 210 mm





## Wall Mount Speaker

Wall Mounting Speaker ( 3 / 4 )				
No.	Product	Mode	Ref Pic	Specification
27	2-way Wall Mounting Speaker	BS-540		5" Woofer + 1" tweeter 2-way speaker, power 40W @ 8Ω, Sensitivity 88±3dB, frequency response: 70-20KHz, black & white for colour option, plastic material, Size: 295 x 196 x 157 mm
28	3-way Wall Mounting Speaker	BS-542		5-1/4" Woofer + dual 3" tweeter speaker, power 45W @ 8Ω, Sensitivity 85±3dB, frequency response: 65-18KHz, black & white for colour option, Size: 205 x 145 x 345 mm
29	2-way Wall Mounting Speaker	BS-6530		5-1/4" Woofer + 4/5" tweeter speaker, power 30W @ 8Ω, Sensitivity 85±3dB, frequency response: 90-20KHz, black & white for colour option, Size: 170 x 136 x 273 mm
30	2-way Wall Mounting Speaker	BS-6640		7" Woofer + 1" tweeter speaker, power 40W @ 8Ω, Sensitivity 86±3dB, frequency response: 80-20KHz, black & white for colour option, Size: 206 x 170 x 341 mm
31	2-way Wall Mounting Speaker	BS-7320		3.5" Woofer + 1" tweeter speaker, power 20W, 100V and 8Ω switchable, power tab 20W/10W/5W, Sensitivity 86±3dB, frequency response: 160-20KHz, black & white for colour option, Size: 190 x 155 x 265 mm
32	2-way Wall Mounting Speaker	BS-7530		5" Woofer + 1" tweeter speaker, power 30W, 100V and 8Ω switchable, power tab 30W/15W/7.5W, Sensitivity 90±3dB, frequency response: 130-20KHz, black & white for colour option, Size: 230 x 175 x 310 mm
33	2-way Wall Mounting Speaker	BS-610		6" Woofer + 1" tweeter speaker, power 10-20W @ 100V, Ultra thin 2-way speaker, Sensitivity 88±3dB, frequency response: 200-18KHz, white colour, Size: 272 x 185 x 46 mm
34	2-way Wall Mounting Speaker	BS-743		4" Woofer + 1" tweeter speaker, power 30W @ 100V and 8 ohm, power tabs 1/2, 1/4, Sensitivity 90±3dB, frequency response: 135-20KHz, ABS body, black and white colour for option, Size: ∅ 135 x 206 mm
35	2-way Wall Mounting Speaker	BS-754		5.25" Woofer + 1" tweeter speaker, power 40W @ 100V and 8 ohm, power tabs 1/2, 1/4, Sensitivity 91±3dB, frequency response: 130-20KHz, ABS body, black and white colour for option, Size: ∅ 156 x 260 mm
36	2-way Wall Mounting Speaker	BS-765		6" Woofer + 1" tweeter speaker, power 50W @ 100V and 8 ohm, power tabs 1/2, 1/4, Sensitivity 92±3dB, frequency response: 110-20KHz, ABS body, black and white colour for option, Size: ∅ 208 x 300 mm

**ARTONE** GUANGZHOU WEPAL TECHNOLOGY CO.,LTD.

Tel: +86-20-29063616 | Fax: +86-20-62351466 | Email: [info@ampspk.com](mailto:info@ampspk.com)

**Wall Mount Speaker**

Wall Mounting Speaker ( 4 / 4 )				
No.	Product	Mode	Ref Pic	Specification
37	2-way Wall Mounting Speaker	BS-8410		4" Woofer + 1" tweeter speaker, power 10-15W @ 100V, ABS body, Sensitivity 96±3dB, frequency response: 100-18KHz, Black & white colour for option, Size: 170 x 120 x 260 mm
38	2-way Wall Mounting Speaker	BS-8412		5" Woofer + 1" tweeter speaker, power 12-20W @ 100V, ABS body, Sensitivity 86±3dB, frequency response: 120-16KHz, Black & white colour for option, Size: 165 x 80 x 268 mm
39	2-way Wall Mounting Bluetooth Active Speaker	BS-8412BT		5" Woofer + 1" tweeter speaker, built-in amplifier, active power 15W @ 100V, bluetooth connection, ABS body, Sensitivity 86±3dB, frequency response: 120-16KHz, Black & white colour for option, Size: 165 x 80 x 268 mm
40	2-way Wall Mounting Speaker	BS-8415		4" Woofer + 1" tweeter speaker, power 15-30W @ 100V, MDF body, Sensitivity 85±3dB, frequency response: 40-20KHz, brown colour, Size: 310 x 120 x 205 mm